

REACH-IN STORAGE FREEZERS



We're With You Every Degree Of The Way





ABOUT LEER

Through decades of commitment to product development, customer service and a relentless focus on American-made manufacturing excellence, Leer has continued to shape and drive innovation in the temperature-controlled storage industry. We're dedicated to the success of all our customers – be that customers of our iconic white Ice Merchandisers, Ice Vending Machines, Refrigerated Transports, Reach-In Storage Freezers, or our custom-built Walk-In Coolers & Freezers.

We'd be honored to earn your business and become your trusted partner in temperature-controlled storage solutions. When you buy from Leer, you're not just buying our products but a commitment from all of us and that's a promise to be with you every degree of the way. We're confident our products provide a value that cannot be beaten.

OUR MISSION

- To be your trusted partner in temperature-controlled storage solutions.
- To partner with our customers to design and develop the highest quality, innovative, temperature-controlled storage solutions to meet their ever-changing needs.
- To provide our customers exceptional quality and outstanding customer service at every stage of every interaction.
- To train and support all employee owners to produce products they can proudly label Made-In-The-USA.
- To promote safe and healthy work practices and environments that benefit all.

WHEN YOU BUY FROM LEER

- You have our lifetime support we're with you every degree of the way.
- We're dedicated to delivering our products right the first time, right every time.
- Our products are intelligent-by-design because we know every degree matters.
- We're 100% employee owned those employee owners make a distinctive difference because you have the commitment of not just one owner, but hundreds of owners.
- We have decades of commitment to product development and customer service with a relentless focus on manufacturing quality from America's heartland.

OUR VISION

We will exceed the highest expectations of our customers, employee owners, partners, shareholders and community by continually delivering the best possible American-made products. We're with you every *degree* of the way.

WE VALUE

- Building Trust
- Wowing Customers
- Constantly Improving
- Working Together
- Embracing Ownership

WE BELIEVE

- All stakeholders are valuable partners in delivering our vision and executing our mission, and are invested in doing both.
- In best intentions at all times, and taking a commonsense and practical path to address differences.

OUR FAMILY

We're a proud member of Dexter Apache Holdings, Inc. (dexterapache.com), a leading 100% employee-owned company with diverse business interests in the manufacturing, distribution, financial services and mission critical technology industries.

REACH-IN STORAGE FREEZER LINEUP

INDOOR REACH-IN STORAGE FREEZERS

For Restaurant, C-Store, and business owners alike looking to maximize their revenue generating space, Leer's Reach-In Storage Freezers offer a versatile solution to their storage needs by offering customized units that feature small footprints but large capacities.

OUTDOOR REACH-IN STORAGE FREEZERS

For Restaurant, C-Store, and business owners alike looking to maximize their revenue generating space, Leer's Reach-In Storage Freezers offer a versatile solution by offering customizable and fully weatherproof outdoor units.



S100 AS INDOOR & OUTDOOR





REACH-IN STORAGE FREEZERS

1. LEER INC.

- Your Partner in Temperature-Controlled Storage Solutions With over 65 years of industry expertise, innovation and focus on manufacturing excellence, we're confident our products feature industry leading efficiency, reliability, durability and longevity delivering an unbeatable value to you and your company.
- Made in Wisconsin, USA Manufactured under a strict quality control program to ensure our products are delivered right the first time, right every time.
- We're With You Every Degree of the Way As an employee owned company, our success depends on your success. We stand behind our products and are dedicated to your success by providing free lifetime technical support. Our engineers and customer service teams are available to help, whether you're a potential new customer or a lifetime customer of Leer.

2. CONSTRUCTION FEATURES

- Patented Construction Features All steel construction with no fasteners, welding, or adhesives. The offset seams are precision machine formed, resulting in water-tight lock-form seams that create a stronger and more durable merchandiser. This increases longevity by reducing moisture penetration into the insulation.
- **High R-Values** Increased insulation to reduce heat infiltration into the unit resulting in consistent and optimal temperatures of -10°F 0°F. There's 3" of high-performance, eco-friendly, insulation in the ceiling, walls, and floor
- Rust Resistant -The exterior of the freezer is finished with a two-part primer/top coat all-weather paint to provide superior resistance to humidity, corrosion, and other weather conditions.

3. DOOR FEATURES

- High-Impact Breaker Strip High-impact breaker strip, located around the perimeter of the door jamb, durable enough to withstand excessive wear and tear and provide a thermal break between the freezer interior and exterior.
- Top-of-the-Line Door Gaskets The gaskets contain extra air chambers as well as a magnetic strip to provide a tight insulation around the doors. The gasket material is Santoprene®, which is designed to withstand harsh outdoor climates without breaking or becoming brittle. Together these features improve the sealing performance and durability of the gaskets and freezer door. Therefore, making the freezer more energy efficient and better at keeping product in premium condition.

- Enhanced Door Frames The door frame is a combination of both rigid and flexible PVC, which provides better protection against dirt and water in the field and foam exposure during the manufacturing process.
- Inset Doors The 2" inset doors provide greater insulation, reduce condensation, and improves the performance of freezer.
- Rain Shield All doors contain a rain shield to divert water from dripping onto the doors or into the unit.
- Steel Doors with Premium Paint Galvanized steel doors top coated with a premium exterior grade white paint, which provides resistance to scratches, scuffs, dents, and protection from the outside elements.
- Spring-Assisted Hinges The hinges are adjustable to ensure a lifetime of level, and solid sealing doors.
 Additionally, the springs help the door close securely and avoid accidentally being left open.
- Chrome-Finish Hardware All hardware, including hinges and handles, have a chrome-finish to provide greater, strength durability, resistance to corrosion, and aesthetics.
- Large Door Openings Oversized door openings for increased accessibility, and ease of loading during restock.
- Locking Feature Doors contain a lockable hasp to protect from theft.

4. INTERIOR FEATURES

- **Heavy-Duty Shelving-** Eight fully adjustable pilaster-style shelving capable of holding up to 100lbs per shelf.
- High-End Interior Finish Bright white interior finish.
- Interior Lighting Standard with energy efficient LED lighting to help showcase the ice.

5. REFRIGERATION FEATURES

- **Serviceability** The drop-down evaporator allows for easier troubleshooting, maintenance, and servicing.
- Compressor Cover Standard and provides air flow for better cooling of the condenser and compressor. It's also a layer of protection from harmful foreign objects.
- **Limited Maintenance** Automatic Defrost refrigeration system to prevent frost build up.
- Intelligent Electronic Controls Electronic controls feature a digital display, factory preset advanced custom settings, and built-in intelligence to ensure your freezer will consistently operate at the optimal settings for your environmental needs.



VIDEO LIBRARY leerinc.com/video-library







REACH-IN STORAGE FREEZERS


	5100 45	5400			
	5100 AS	S100			
STANDARD MODEL NUMBERS					
Auto Defrost - R404a:	L100UASER-FZR	L100UASER-FZR			
Cold Wall - R404a:	N/A	N/A			
DIMENSIONS & CAPACITIES					
Number of Shelves:	8	N/A			
Adjustable:	Yes	N/A			
Weight Per Shelf (lbs.):	100	N/A			
Approx. Interior Cubic Feet:	90	90			
Dimensions (W" x D" x H"):	94 x 35.5 x 76.5	94 x 35.5 x 76.5			
Door Size (W" x H"):	27 x 55	27 x 55			
OPERATING TEMPERATURE					
(X°F - X°F):	-10 - 0	-10 - 0			
Control:	Electronic Control	Electronic Control			
	PRODUCT WEIGHT				
Auto Defrost (lbs.):	600	600			
Cold Wall (lbs.):	N/A	N/A			
	ELECTRICAL				
Voltage (V/Hz):	115 / 60	115 / 60			
Min. Circuit Required (Amps):	20	20			
Auto Defrost (Amps):	13	13			
Cold Wall (Amps):	N/A	N/A			
230V/50Hz Available:	Upon Request	Upon Request			
OTHER					
Compressor (HP):	3/4	3/4			
Refrigerant:	R404a	R404a			
Certifications:	UL, cUL, CE	UL, cUL, CE			
DOE Compliant:	Yes	Yes			
NSF Available:	Upon Request	Upon Request			

PRODUCT SPECIFICATIONS

Auto Defrost – R404a:	L100UASER-FZR	
Cold Wall – R404a:	N/A	
Dimensions & Capacities		
Number of Shelves:	8	
Adjustable:	Yes	
Weight Per Shelf (lbs.):	100	
Approx. Interior Cubic Feet:	90	
Dimensions (W"xD"xH"):	94 x 35.5 x 76.5	
Door Size (W"x H"):	27 x 55	
Operating Temperature		
(X°F - X°F):	-10 - 0	
Control:	Electronic Control	
Product Weight		
Weight (lbs.):	600	
	600	
Electrical		
Electrical Voltage (V/Hz):		
Electrical Voltage (V/Hz): Min. Circuit Required (Amps):	115/60 20	
Electrical Voltage (V/Hz): Min. Circuit Required (Amps): Auto Defrost (Amps):	115/60 20 13	
Electrical Voltage (V/Hz): Min. Circuit Required (Amps): Auto Defrost (Amps): 230V/50Hz Available:	115/60 20 13	
Electrical Voltage (V/Hz): Min. Circuit Required (Amps): Auto Defrost (Amps): 230V/50Hz Available:	115/60 20 13 Upon Request	
Electrical Voltage (V/Hz): Min. Circuit Required (Amps): Auto Defrost (Amps): 230V/50Hz Available: Other Compressor (HP):	115/60 20 13 Upon Request	
Electrical Voltage (V/Hz): Min. Circuit Required (Amps): Auto Defrost (Amps): 230V/50Hz Available: Other Compressor (HP): Refrigerant:	115/60 20 13 Upon Request 3/ R404 UL, cUL, C	
Weight (lbs.): Electrical Voltage (V/Hz): Min. Circuit Required (Amps): Auto Defrost (Amps): 230V/50Hz Available: Other Compressor (HP): Refrigerant: Certifications: DOE Compliant:	115/60 20 13 Upon Request 3/ R404	







^{1.} Height Includes Compressor 2. Add 3.5" to Depth for Door & Handle





PRODUCT SPECIFICATIONS

Standard Model Numbers

Auto Defrost - R404a:

Cold Wall - R404a:

Dimensions & Capacities		
Number of Shelves:	N/A	
Adjustable:	N/A	
Weight Per Shelf (lbs.):	N/A	
Approx. Interior Cubic Feet:	90	
Dimensions (W"xD"xH"):	94 x 35.5 x 76.5	

L100UASER-FZR

27 x 55

Upon Request

Operating Temperature

(X°F - X°F):	-10 - 0
Control:	Electronic Control

Product Weight

Door Size (W"x H"):

Weight (lbs.): 600

Flectrical


Liceinicai	
Voltage (V/Hz):	115/60
Min. Circuit Required (Amps):	20
Auto Defrost (Amps):	13
230V/50Hz Available:	Upon Request

Other

NSF Available:

Compressor (HP):	3/-
Refrigerant:	R404
Certifications:	UL, cUL, CI
DOE Compliant:	Ye





We want to be your trusted partner in temperature-controlled storage solutions and make your buying process as smooth as possible. Therefore, we have several routes to market you can choose from: Purchasing Direct Via Leer, Purchasing Through Our Distributors, or Purchasing Through Our E-Commerce Partners.

PURCHASING DIRECT VIA LEER



Leer Refrigerated Reach-In Storage Sales Offices

206 Leer Street, Box 206 New Lisbon, WI 53950-0206 Tel: 800-766-5337

Email: sales@leerinc.com

PURCHASING THROUGH OUR E-COMMERCE PARTNERS

)	Webstaurant	Store

Katom

A DEDICATED TEAM OF EMPLOYEE-OWNERS READY TO ASSIST YOU

If you have any questions regarding our products, we welcome you to contact us! We're with you every degree of the way and always ready and happy to assist! Feel free to call, email, or fill our out contact us form!

Call Technical Support and Customer Service:

(800) 766-5337

Email Us:

sales@leerinc.com

Fill out the Contact Us Form:

leerinc.com/contact-us

^{2.} Add 3.5" to Depth for Door & Handle



